

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|---------------------|
| S40 | 2 | "6,766,143".pn. | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 11:57 |
| S41 | 4 | ("6,271,759" "6,529,013").pn. | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 12:01 |
| S42 | 55 | ("6227335" "4563721" "4982310" "5781244" "5933312" "6041851" "5808251" "5548522" "6043464" "4105136" "1115017" "1520933" "1532486" "4562506" "4591216" "4855546" "4885144" "4912591" "4916376" "4931896" "4960080").pn. | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 12:01 |
| S43 | 21 | ("6227335" "4563721" "4982310" "5781244" "5933312" "6041851" "5808251" "5548522" "6043464" "4105136" "1115017" "1520933" "1532486" "4562506" "4591216" "4855546" "4885144" "4912591" "4916376" "4931896" "4960080").pn. | USPAT | OR | ON | 2005/05/05 12:03 |
| S44 | 21 | ("5521567" "5604340" "5734207" "5855290" "5864107" "5901868" "5936195" "6035811" "6040538" "6076381" "6088219" "6101985" "6114642" "6191500" "6242708" "6807462" "4342978" "5751222" "5904577" "6227908" "5857762").pn. | USPAT | OR | ON | 2005/05/05 12:05 |
| S45 | 8 | ("4453057" "4492199" "4797777" "4811154" "1847570" "4819650" "4876522" "4879471").pn. | USPAT | OR | ON | 2005/05/05 12:11 |
| S46 | 24750 | Switch same controller electrical adj system | USPAT | OR | ON | 2005/05/10 10:20 |
| S47 | 0 | Switch same controller same electrical adj system | USPAT | OR | ON | 2005/05/05 12:13 |

| | | | | | | |
|-----|-----|--|-------|----|----|------------------|
| S48 | 444 | (Switch breaker transformer) same controller same electrical adj system | USPAT | OR | ON | 2005/05/05 12:14 |
| S49 | 419 | (Switch breaker) same controller same electrical adj system | USPAT | OR | ON | 2005/05/09 14:27 |
| S50 | 277 | (Switch breaker) with controller same electrical adj system | USPAT | OR | ON | 2005/05/05 12:14 |
| S51 | 108 | (Switch breaker) with controller with electrical adj system | USPAT | OR | ON | 2005/05/05 12:18 |
| S52 | 108 | (Switch breaker recloser) with controller with electrical adj system | USPAT | OR | ON | 2005/05/05 12:52 |
| S53 | 0 | (Switch breaker recloser) with controller with electrical adj system same housing adj unit | USPAT | OR | ON | 2005/05/10 10:22 |
| S54 | 1 | S48 same housing adj unit | USPAT | OR | ON | 2005/05/05 12:54 |
| S55 | 1 | switchgear same housing adj unit | USPAT | OR | ON | 2005/05/05 12:55 |
| S56 | 171 | (switch breaker) near3 housing adj unit | USPAT | OR | ON | 2005/05/05 12:55 |
| S57 | 0 | (switch breaker) near3 housing adj unit same electrical adj system | USPAT | OR | ON | 2005/05/05 12:56 |
| S58 | 1 | (switch breaker) near3 housing adj unit same electrical same transmission near2 line | USPAT | OR | ON | 2005/05/05 12:57 |
| S59 | 2 | (switch breaker) near3 housing adj unit same electrical same power near2 line | USPAT | OR | ON | 2005/05/05 12:58 |
| S60 | 65 | (switch breaker) near3 housing same electrical same power near2 line | USPAT | OR | ON | 2005/05/05 12:58 |
| S61 | 12 | (switch breaker) near3 housing same electrical same power near2 line and controller | USPAT | OR | ON | 2005/05/05 13:04 |
| S62 | 2 | (switch breaker) near3 housing same electrical same power near2 line and controller same digital | USPAT | OR | ON | 2005/05/05 13:04 |
| S63 | 66 | (Switch breaker) same controller same electrical adj system and controlling same monitoring | USPAT | OR | ON | 2005/05/09 14:27 |

| | | | | | | |
|-----|-------|--|-------|----|----|------------------|
| S64 | 42 | (Switch breaker) same controller same electrical adj system and controlling same monitoring and housing | USPAT | OR | ON | 2005/05/09 14:30 |
| S65 | 15 | (Switch breaker) same controller same electrical adj system and controlling same monitoring and housing and cpu | USPAT | OR | ON | 2005/05/09 14:31 |
| S66 | 19 | (Switch breaker connector disconnecter) same controller same electrical adj system and controlling same monitoring and cpu | USPAT | OR | ON | 2005/05/09 14:37 |
| S67 | 1 | "6766143".pn. | USPAT | OR | ON | 2005/05/09 14:44 |
| S68 | 74 | filler adj board | USPAT | OR | ON | 2005/05/09 14:45 |
| S69 | 1 | filler adj board same power | USPAT | OR | ON | 2005/05/09 14:46 |
| S70 | 2 | filler near2 board same power | USPAT | OR | ON | 2005/05/09 14:49 |
| S71 | 1222 | "rs-485" | USPAT | OR | ON | 2005/05/09 14:49 |
| S72 | 10901 | "rs-485" amd switchgear | USPAT | OR | ON | 2005/05/09 14:49 |
| S73 | 21 | "rs-485" and switchgear | USPAT | OR | ON | 2005/05/09 16:04 |
| S74 | 2355 | (switchgear) | USPAT | OR | ON | 2005/05/09 16:04 |
| S75 | 2350 | (switchgear breaker recloser interrupter) same controller | USPAT | OR | ON | 2005/05/09 16:07 |
| S76 | 548 | (switchgear breaker recloser interrupter) same cpu | USPAT | OR | ON | 2005/05/09 16:07 |
| S77 | 48 | (switchgear breaker recloser interrupter) same cpu same control same monitor\$3 | USPAT | OR | ON | 2005/05/09 16:08 |
| S78 | 56 | (switchgear breaker recloser interrupter) same cpu same control\$4 same monitor\$3 | USPAT | OR | ON | 2005/05/09 16:08 |
| S79 | 7 | (switchgear breaker recloser interrupter) same cpu same control\$4 same monitor\$3 same power near line | USPAT | OR | ON | 2005/05/09 16:09 |

| | | | | | | |
|-----|--------|---|-------|----|----|------------------|
| S80 | 7 | (switchgear breaker recloser interrupter) same cpu same control\$4 same monitor\$3 same power near line and housing | USPAT | OR | ON | 2005/05/09 16:37 |
| S81 | 12 | (switchgear breaker recloser connector interrupter) same cpu same control\$4 same monitor\$3 same power near line and housing | USPAT | OR | ON | 2005/05/09 16:40 |
| S82 | 28 | (switchgear breaker recloser connector interrupter) same cpu same (control\$4 monitor\$4) same power near line and housing | USPAT | OR | ON | 2005/05/09 17:04 |
| S83 | 6 | (switchgear breaker recloser connector interrupter) same (control\$4 monitor\$4) same power near line same housing same cpu | USPAT | OR | ON | 2005/05/09 16:42 |
| S84 | 91 | (switchgear breaker recloser connector interrupter) same (control\$4 monitor\$4) same power near line same cpu | USPAT | OR | ON | 2005/05/09 16:42 |
| S85 | 28 | (switchgear breaker recloser connector interrupter) same (control\$4 monitor\$4) same power near line same cpu and housing | USPAT | OR | ON | 2005/05/09 16:45 |
| S89 | 156 | (switchgear breaker recloser connector interrupter) same (control\$4 monitor\$4) same power near2 transmission near2 line | USPAT | OR | ON | 2005/05/09 16:48 |
| S90 | 20 | S89 same controller | USPAT | OR | ON | 2005/05/09 16:48 |
| S91 | 6 | S89 same controller and housing | USPAT | OR | ON | 2005/05/09 16:48 |
| S92 | 457034 | (switchgear switch breaker recloser connector interrupter) same (control\$4 monitor\$4) | USPAT | OR | ON | 2005/05/09 17:05 |
| S93 | 129873 | (switchgear switch breaker recloser connector interrupter) same (controlling monitoring) | USPAT | OR | ON | 2005/05/09 17:06 |

| | | | | | | |
|----------|------|---|-------|----|----|---------------------|
| S94 | 6952 | (switchgear switch breaker recloser connector interrupter) same (controlling monitoring) with electronic | USPAT | OR | ON | 2005/05/09 17:06 |
| S96 | 304 | (switchgear switch breaker recloser connector interrupter) same (controlling monitoring) with electronic same electrical with system | USPAT | OR | ON | 2005/05/09 17:07 |
| S97 | 21 | (switchgear switch breaker recloser connector interrupter) same (controlling monitoring) with electronic same electrical with system same housing | USPAT | OR | ON | 2005/05/10 10:28 |
| S98 | 0 | (switchgear switch breaker recloser connector interrupter) same controlling same monitoring with electronic same electrical with system same housing | USPAT | OR | ON | 2005/05/09 17:09 |
| S99 | 3472 | (switchgear switch breaker recloser connector interrupter) same controlling same monitoring | USPAT | OR | ON | 2005/05/09 17:09 |
| S10 0 | 152 | (switchgear switch breaker recloser connector interrupter) same controlling same monitoring same housing | USPAT | OR | ON | 2005/05/10 10:19 |
| S10 1 | 49 | (switchgear switch breaker recloser connector interrupter) same controlling same monitoring same housing and (microprocessor cpu) | USPAT | OR | ON | 2005/05/09 17:09 |
| S10 2 | 11 | (switchgear switch breaker recloser connector interrupter) same controlling same monitoring same housing and compressor | USPAT | OR | ON | 2005/05/10 10:20 |
| S10 3 | 31 | Switch same controller electrical adj system same compressor same housing | USPAT | OR | ON | 2005/05/10 10:21 |
| S10 4 | 61 | (Switch breaker recloser) with controller with electrical same system same housing | USPAT | OR | ON | 2005/05/10 10:25 |

| | | | | | | |
|----------|------|---|-------|----|----|---------------------|
| S10 5 | 272 | (Switch breaker recloser) with controller with electrical same housing | USPAT | OR | ON | 2005/05/10 10:25 |
| S10 6 | 1 | (switchgear switch breaker recloser connector interrupter) same (controlling monitoring) with electronic same electrical with system same housing same compressor | USPAT | OR | ON | 2005/05/10 10:32 |
| S10 7 | 0 | (switchgear switch breaker recloser connector interrupter) same (controlling monitoring) with electronic same electrical with system same housing near2 single | USPAT | OR | ON | 2005/05/10 10:32 |
| S10 8 | 3 | (switchgear switch breaker recloser connector interrupter) same (controlling monitoring) with electronic same electrical with system same housing near2 one | USPAT | OR | ON | 2005/05/10 10:33 |
| S10 9 | 0 | (switchgear switch breaker recloser connector interrupter) same (controlling monitoring) with electronic same electrical with system same housing same cpu | USPAT | OR | ON | 2005/05/10 10:33 |
| S11 0 | 2 | (switchgear switch breaker recloser connector interrupter) same (controlling monitoring) with electronic same electrical with system same housing and cpu | USPAT | OR | ON | 2005/05/10 10:34 |
| S11 1 | 3 | (switchgear switch breaker recloser connector interrupter) same (controlling monitoring) with electronic same electrical with system same housing and processor | USPAT | OR | ON | 2005/05/10 11:38 |
| S11 2 | 4101 | (switchgear switch breaker recloser connector interrupter) and housing near single | USPAT | OR | ON | 2005/05/10 11:39 |

| | | | | | | |
|----------|-----|--|-------|----|----|---------------------|
| S11 3 | 983 | (switchgear switch breaker recloser connector interrupter) same housing near single | USPAT | OR | ON | 2005/05/10 12:11 |
| S11 4 | 214 | (switchgear switch breaker recloser connector interrupter) same housing near single same control | USPAT | OR | ON | 2005/05/10 12:11 |
| S11 5 | 19 | (switchgear switch breaker recloser connector interrupter) same housing near single same control same electronic | USPAT | OR | ON | 2005/05/10 12:13 |
| S11 6 | 4 | (switchgear breaker recloser connector interrupter) same housing near single same control same electronic | USPAT | OR | ON | 2005/05/10 12:35 |
| S11 7 | 34 | (switchgear breaker recloser connector interrupter) same housing near single same control and electronic | USPAT | OR | ON | 2005/05/10 12:14 |
| S11 8 | 223 | (switchgear breaker recloser connector interrupter) and housing near single same control and electronic | USPAT | OR | ON | 2005/05/10 12:17 |
| S11 9 | 18 | (switchgear breaker recloser interrupter) and housing near single same control and electronic | USPAT | OR | ON | 2005/05/10 12:18 |
| S12 0 | 25 | (switchgear breaker recloser connector interrupter) same digital same control same electronic and housing near single | USPAT | OR | ON | 2005/05/10 12:36 |
| S12 1 | 16 | (switchgear breaker recloser connector interrupter) same digital same analog same control same electronic and housing near single | USPAT | OR | ON | 2005/05/10 12:38 |
| S12 2 | 379 | (switchgear breaker recloser connector interrupter) same digital same analog same control same electronic | USPAT | OR | ON | 2005/05/10 12:38 |
| S12 3 | 62 | (switchgear breaker recloser interrupter) same digital same analog same control same electronic | USPAT | OR | ON | 2005/05/10 12:40 |

| | | | | | | |
|----------|------|---|-------|----|----|---------------------|
| S12 4 | 1 | (switchgear) same digital same analog same control same electronic | USPAT | OR | ON | 2005/05/10 12:39 |
| S12 5 | 11 | (switchgear recloser interrupter) same digital same analog same control same electronic | USPAT | OR | ON | 2005/05/10 12:42 |
| S12 6 | 3 | (switchgear recloser interrupter) same digital same analog same control same electronic and housing | USPAT | OR | ON | 2005/05/10 13:34 |
| S12 7 | 3649 | switchgear or (switch adj gear) | USPAT | OR | ON | 2005/05/10 13:35 |
| S12 8 | 233 | S127 same electronic | USPAT | OR | ON | 2005/05/10 13:35 |
| S12 9 | 129 | S128 same (control controls controller) | USPAT | OR | ON | 2005/05/10 13:36 |
| S13 0 | 41 | S129 same (module modular housing case casing enclosute) | USPAT | OR | ON | 2005/05/10 13:52 |
| S13 1 | 40 | S129 same (module housing case casing enclosute) | USPAT | OR | ON | 2005/05/10 13:37 |
| S13 2 | 9 | S129 same (module modular housing case casing enclosute) and digital | USPAT | OR | ON | 2005/05/10 14:18 |
| S13 3 | 0 | S129 same (module modular housing case casing enclosute) and self adj contained | USPAT | OR | ON | 2005/05/10 14:19 |
| S13 4 | 0 | S129 same self adj contained | USPAT | OR | ON | 2005/05/10 14:19 |
| S13 5 | 0 | S129 same self-contained | USPAT | OR | ON | 2005/05/10 14:19 |
| S13 6 | 15 | S127 same self-contained | USPAT | OR | ON | 2005/05/10 14:23 |
| S13 7 | 2 | S127 same self-contained and controller | USPAT | OR | ON | 2005/05/10 14:24 |
| S13 8 | 0 | S127 same self-contained and controller same electronic | USPAT | OR | ON | 2005/05/10 14:25 |
| S13 9 | 0 | S127 same self-contained and controller same digital | USPAT | OR | ON | 2005/05/10 14:25 |
| S14 0 | 46 | S127 same housing and controller | USPAT | OR | ON | 2005/05/10 14:53 |
| S14 1 | 12 | S127 same housing same controller | USPAT | OR | ON | 2005/05/10 14:55 |
| S14 2 | 1 | S127 same housing same controller same electronic | USPAT | OR | ON | 2005/05/10 14:56 |
| S14 3 | 2 | S127 same housing same microprocessor | USPAT | OR | ON | 2005/05/10 14:56 |